



Pricelist February 2015

Categories:

ARRI ALEXA CAMERA AND ACCESSORIES

ARRI AMIRA CAMERA AND ACCESSORIES

SONY F3 CAMERA AND ACCESSORIES

SOUND EQUIPMENT

LIGHT EQUIPMENT

HINTERLAND AS, KVITSOYGATA 25, 4014 STAVANGER, NORWAY
PHN +47 51111195 / MOB +47 90809711 / MAIL@HINTERLAND.NO / WWW.HINTERLAND.NO

| Hinterland ident | Producer ident # | Amount | Description | Serial | Price per day | Price per week |
|--|--------------------|--------|--|-----------|---------------|----------------|
| ARRI ALEXA <i>Body and essential accessories</i> | KO.71100 | 1 | ALEXA PLUS BODY SXS -(Anamorph+QT+ProRes option) | 4087 | | |
| | K2.72007 | 1 | Center Camera Handle CCH-1 | | | |
| | K2.72015 | 1 | Handle Extension Block HEB-2 | | | |
| | K2.72008 | 1 | Electronic Viewfinder EVF-1 | 3165 | | |
| | K2.72042 | 1 | Viewfinder Mounting Bracket VMB-2 | | | |
| | K2.72000 | 1 | Viewfinder Extension Bracket - VEB1 | | | |
| | K2.72012 | 1 | Viewfinder Cable Short KC 150-S (0,35m/12") | | | |
| | K2.72013 | 1 | Viewfinder Cable medium KC151-S (0,65m/2.1ft) | | | |
| | K2.45886.0 | 1 | Camera hand grip right w/extension | | | |
| | | 1 | Alexa 12V accessory 3 way splitter | | | |
| | K2.72031 | 2 | Alexa 12V accessory cable - KC154 SP-S | | | |
| | K2.72005 | 1 | Shoulder Pad SP-3 | | | |
| | K2.72017 | 1 | Leveling Block LB-1 | | | |
| | K4.54362 | 2 | Bottom Dove Tail Plate | | | |
| | K2.43046 | 2 | Support rods 19mm , length 440mm | | | |
| | | 2 | Support rods 15mm, length x | | | |
| | KO.60053 | 1 | HD-BASEPLATE-SET-Digicine 19mm | | | |
| | K2.47796 | 1 | Quick Release HD Baseplate | | | |
| | K2.47797 | 1 | Bridge plate Sled | | | |
| | K2.47798 | 1 | Support Rod Holder 19mm | | | |
| | K2.72003 | 1 | Battery Adapter Back for Gold Mount (BAB-G) | | | |
| | K5.35821 | 1 | Lens port cover | | | |
| | | 1 | Swisstool wrench | | | |
| | K2.72030 | 1 | Transport case | | | |
| | | | | | 5 450 | 21 800 |
| RAIN SHIELD <i>for ARRI ALEXA</i> | K2.720026 | 1 | Rain Shield ARS-1 | | | |
| | | | | | 100 | 400 |
| POWER SUPPLY <i>for ARRI ALEXA</i> | K2.47351 | 1 | Power Supply NG 12/26 R | | | |
| | | | | | 490 | 1 960 |
| ANTON BAUER BATTERY KIT <i>for ARRI ALEXA</i> | ANB-DIONIC 160 | 7 | Logic Series Battery HCX DIONIC, 14.4 volts, 118 WH | 10844Y02S | | |
| | | | | 10845Y02S | | |
| | | | | 10847Y02S | | |
| | | | | 10848Y02S | | |
| | | | | 10627X11F | | |
| | | | | 10850Y02S | | |
| | | | | 10851Y02S | | |
| | ANB-QUAD 2702 | 1 | Anton Bauer TM4 4 position simultaneous charger | | | |
| | | 1 | 220V Cable | | | |
| | ANB-SO 14/28R | 1 | Battery belt SO 14/28 R | | | |
| | ANB-QR-HOT SWAP | 1 | Dual Gold Mount hot swap for ARRI ALEXA (continous power) | | | |
| | | 1 | Pelicans | | | |
| | | | | | 1 190 | 4 760 |
| ANTON BAUER CINE VCLX <i>Large battery for ARRI ALEXA</i> | ANB-CINE VCLX BATT | 1 | Anton Bauer CINE VCLX 560 WH NiMH output (14,4 /28V) | 4553Y03S | | |
| | ANB-CINE VCLX CHA | 1 | Battery charger for CINE VCLX | 4304 | | |
| | ANB-CS-GBC | 1 | Charge cable for CINE VCLX | | | |
| | ANB-CS-ALEXA | 1 | Anton Bauer to Alexa power cable 3 > 2 pin | | | |
| | ANB-CS-220V | 1 | 220V cable | | | |
| | ANB-CINE VCLX CASE | 1 | Transport case | | | |
| | | | | | 450 | 1 800 |
| 5,6" LED MONITOR <i>Onboard monitor from Small HD</i> | | 1 | Small HD 5.6" LED screen w/SDI (Onboard monitor) | 2886 | | |
| | | 1 | Power cable | | | |
| | | 2 | Noga arm (swivel head and 1/4 inch screws) | | | |
| | | 1 | Sun shade for monitor | | | |
| | | 1 | SDI cable 1m | | | |
| | | 1 | SDI cable 2m | | | |
| | | 1 | 12V cable Small HD > Lemo for ARRI ALEXA | | | |
| | | | | | 450 | 1 800 |
| | | 1 | Odyssey 7Q 7" monitor/recorder - ARRIRAW/ProRes/DNxHD | 20-02115 | | |
| | | 1 | Power cable for ARRI ALEXA | | | |
| | | 1 | 220V power cable | | | |
| | | 1 | 3G-SDI cable 1m | | | |
| | | 1 | 3G-SDI cable 2m | | | |
| ODYSSEY 7Q <i>7" monitor/recorder ARRIRAW/ProRes/DNxHD</i> | | 2 | Noga arm (swivel head and 1/4 inch screws) | | | |
| | | 1 | Protective cage | | | |
| | | | | | 1 850 | 7 400 |
| | | | | | | |
| ODYSSEY 7Q SSD <i>SSD Storage</i> | | 1 | 512MB SSD Storage for Odyssey 7Q (only accepts SSDs from Convergent Design) (10 x SSDs available) | | | |
| | | | | | 390 | 1 560 |

| Hinterland ident | Producer ident # | Amount | Description | Serial | Price per day | Price per week |
|---|------------------|--------|---|------------------|---------------|----------------|
| 17" FIELD MONITOR <i>with scope</i> | | 1 | BON Multiformat LCD - 17" with scope | | | |
| | | 1 | SDI cable (5m) | | | |
| | | 1 | SDI cable (15m) | | | |
| | | 1 | Case for Bon BPM-170 | | | |
| | | 1 | Anton Bauer battery adapter | | | |
| | | 1 | 220V power cable | | | |
| | | 1 | DVI-RGB adapter cable | | | |
| | | | | | 950 | 3 800 |
| SXS PRO CARD SET <i>Recording in camera for ARRI ALEXA Necessary for 120FPS.</i> | | 2 | SXS Pro Card 64GB (Enables you to shoot 120FPS) | | | |
| | | 5 | SXS Pro Card 32GB | | | |
| | | 1 | Nexto DI 750GB video storage device | | | |
| | | 1 | CF card adapter | | | |
| | | 1 | Nexto bag, manual, cables, 220V adapter | | | |
| | | 1 | Pelicans | | | |
| | | | | | 990 | 3 960 |
| SXS PRO CARD 64GB <i>Necessary for 120 FPS.</i> | | 1 | SXS Pro Card 64GB (Enables you to shoot 120FPS) (2 x SXS cards available) | | | |
| | | | | | 290 | 1 160 |
| ARRI SHOULDER SET S-4 <i>right and left hand grip</i> | K2.72002 | 1 | WA-1 plate | | | |
| | K2.72001 | 1 | BPA-1 | | | |
| | K2.72005 | 1 | Shoulder Pad SP-3 | | | |
| | K2.47093 | 1 | Shoulderset S-4 | | | |
| | | 1 | Pelicans | | | |
| | | | | | 425 | 1 700 |
| ARRI REMOTE SET <i>for ARRI ALEXA</i> <i>ARRI's remote set lets you control iris, zoom and focus wirelessly.</i> | K2.65155 | 1 | WCU-3 | 6138 | | |
| | K2.65003 | 1 | ZMU-3 | 6246 | | |
| | K2.65132 | 1 | Connection bracket | | | |
| | K2.65159 | 1 | KG 129-S 0,25M (ZMU-3 to WGU-3 cable) | | | |
| | K2.52036 | 3 | CLM-2 motors | 2890, 2892, 2908 | | |
| | K2.47248 | 2 | Marking disc conical | | | |
| | | 2 | Battery SONY NP-FM500H | | | |
| | | 1 | Charger for Battery Sony BCVM50 | | | |
| | | 1 | 220V cable for Sony charger | | | |
| | | 1 | Custom Aluminum connection bracket with swivel head | | | |
| | | 1 | Noga magic arm | | | |
| | | 1 | Custom Aluminum connection bracket with bridge plate BP-12 | | | |
| | | 1 | Small magic arm with bridge plate BP-12 and rail mount | | | |
| | | 3 | Antennas for WCU-3 | | | |
| | | 1 | User manual | | | |
| | | 1 | Pelicans | | | |
| | | | | | 1 995 | 7 980 |
| ARRI FF4 FOLLOW FOCUS <i>changeable focus direction</i> | K2.47121 | 1 | Follow focus FF-4 | 4706 | | |
| | K2.43268 | 1 | Adapter BA-2 cpl. (19mm rods) | | | |
| | K2.47215 | 1 | Focus knob right | | | |
| | K2.47252 | 1 | Gear cpl. For Primes | | | |
| | K2.32730 | 1 | Focus lever | | | |
| | K2.34100 | 1 | Flexible shaft, short | | | |
| | K4.32713 | 6 | Marking Disc Flat | | | |
| | K2.47248 | 1 | Marking disc conical | | | |
| | K2.65247 | 1 | Reverse gear set | | | |
| | K2.65259 | 3 | 43 Tooth, 0.8 metric module gear | | | |
| | K2.44965 | 1 | Case for FF4 set | | | |
| | | | | | 450 | 1 800 |
| ARRI LMB15 MATTEBOX <i>clamp on with 2/3 filter stages</i> | K2.66012 | 1 | LMB-15 Basic Module | | | |
| | K2.66013 | 1 | LMB-15 3-stage side guide | | | |
| | K2.66014 | 1 | LMB-15 2-Stage Side guide | | | |
| | K2.47669 | 3 | F4 Filter Frame Combo 4"x5,65"/4"x4" | | | |
| | K2.47244 | 1 | LMB-25 Top/Bottom Flag | | | |
| | K2.47241 | 1 | Clamp-on adapter 95 | | | |
| | K2.47240 | 1 | Clamp-on adapter 114 | | | |
| | K2.66022 | 1 | Mask Set 35mm | | | |
| | | 1 | Pelicans | | | |
| | | | | | 475 | 1 900 |

| Hinterland ident | Producer ident # | Amount | Description | Serial | Price per day | Price per week |
|---|------------------|----------------|--|--------------|---------------|----------------|
| ARRI MB29 MATTEBOX 2 filter stages | K2.66015 | 1 | Pivoting module cpl. | | | |
| | K2.66018 | 1 | 2-Stage Filter Assembly | | | |
| | K2.66035 | 1 | Base module for MB-29 | | | |
| | K2.65025 | 1 | L-console cpl.for LWS | | | |
| | K2.66037 | 2 | COM-Filter frame | | | |
| | K2.47740 | 1 | MB20 Top/Bottom Flag | | | |
| | KO.60029 | 2 | Side Flag MB-20 Sys-2 | | | |
| | K2.47222 | 1 | 138mm filter ring, diameter 100mm | | | |
| | K2.52204 | 1 | 138mm filter ring, diameter 114mm | | | |
| | K2.47224 | 1 | Adapter ring 95 | | | |
| | K2.66108 | 1 | Mask set 35mm (4 pieces) | | | |
| K2.49050 | 1 | Transport case | | | | |
| | | | | | 525 | 2 100 |
| FILTERS | | 1 | Schneider IRND 0.3 | | 100 | 100 |
| | | 1 | Schneider IRND 0.6 | | 100 | 100 |
| | | 1 | Schneider IRND 0.9 | | 100 | 100 |
| | | 1 | Schneider IRND IR 1.2 | | 100 | 100 |
| | | 1 | Schneider IRND IR 1.5 | | 100 | 100 |
| | | 1 | Schneider IRND IR 1.8 | | 100 | 100 |
| | | 1 | ND SE 0.3 | | 80 | 80 |
| | | 1 | ND SE 0.6 | | 80 | 80 |
| | | 1 | ND HE 0.9 | | 80 | 80 |
| | | 1 | Polarizer | | 100 | 100 |
| | | | | | | |
| CARL ZEISS LWZ.2 CINE LENS Lightweight zoom 15-45mm T2.8 | | 1 | Zeiss - Lightweight Zoom LWZ.2 - 15.5-45mm (T2.8) | 8942272 | | |
| | | 1 | Support bracket | | | |
| | | 1 | Zoom stick | | | |
| | | 1 | Pelicas | | | |
| | | | | | 2 650 | 10 600 |
| ANGENIEUX DP ROUGE CINE LENS 30-80mm T2.8 | | 1 | Angenieux DP Rouge 30-80mm (T2.8) | | | |
| | | 1 | Zoom stick | | | |
| | | 1 | Pelicas | | | |
| | | | | | 2 650 | 10 600 |
| FUJINON CABRIO CINE LENS 19-90mm T2.9 | | 1 | Fujinon Cabrio ZK4.7x19-SAM 19-90mm (T2.9) | | | |
| | | 1 | Support bracket | | | |
| | | 1 | Zoom Stick | | | |
| | | 1 | Pelicas | | | |
| | | | | | 3 900 | 15 600 |
| OCONNOR 2065 TRIPOD PACKAGE Fluid head, baby legs and long legs. | OC2065FHB | 1 | OConnor ULTIMATE 2065 FLUID HEAD/150mm BALL | C1236-110244 | | |
| | | 1 | Oconnor tiedown for 2065 | | | |
| | OCH122575 | 1 | OConnor handlebar (30 deg bend / 12") | | | |
| | OCCHDT150 | 1 | OConnor CINE HD LONG ALU TRIPOD/150mm | C1221/3 - 01 | | |
| | OCSFCHD | 1 | OConnor FLOOR SPREADER f/CINE HD TRIPODS | | | |
| | OCCHDBT150 | 1 | OConnor CINE HD ALU BABY TRIPOD/150mm | C1221/4-0118 | | |
| | OCEPLB2060 | 1 | OConnor EYEPIECE LEVELER 2060 / 2065/2575 | | | |
| | | 3 | Transport case | | | |
| | | | | | 1 300 | 5 200 |
| OCONNOR 25L TRIPOD 2-stage carbon fiber | | 1 | OConnor 25L (2-stage) Carbon fiber tripod | | | |
| | | 1 | Oconnor Ultimate 1030 HD fluid head | | | |
| | | 1 | Base plate | | | |
| | | 1 | Transport case | | | |
| | | | | | 850 | 3 400 |
| SACHTLER STUDIO 2 TRIPOD 2-stage aluminium | | 1 | Sachtler Studio 2 fluid head | | | |
| | | 1 | Sachtler 2-stage aluminium tripod | | | |
| | | 2 | Transport case | | | |
| | | | | | 650 | 2 600 |
| EASYRIG | | 1 | Easyrig 3 Cine-style | | 425 | 1 700 |
| | | | | | | |
| ON CAMERA SOUND KIT for ARRI ALEXA | | 1 | Sound Devices Mix-Pre D | JP0512111004 | | |
| | | 1 | Power cable for Mix-Pre-D for ARRI ALEXA | | | |
| | | 1 | Sennheiser MKH-416 P48 microphone with Rycote windshield | | | |
| | | 1 | Rycote shock mount for ARRI ALEXA | | | |
| | | 1 | XLR cable 60cm | | | |
| | | 1 | XLR cable from mixer to 5-pin ALEXA mount | | | |
| | | | | | 490 | 1 960 |

| Hinterland ident | Producer ident # | Amount | Description | Serial | Price per day | Price per week |
|--|------------------|--------|--|----------------|---------------|----------------|
| ARRI AMIRA <i>Body and essential accessories</i> | K0.0001092 | 1 | ARRI AMIRA body, Premium license, viewfinder+LED | 15561 | | |
| | K2.75001.0 | 1 | ARRI AMIRA Gold Battery Adapter Anton Bauer | | | |
| | K2.0001240 | 1 | ARRI AMIRA Camera bag, soft carry bag from PortaBrace | | | |
| | K2.0001107 | 1 | ARRI AMIRA PL LDS Lens Mount | | | |
| | K2.75005.0 | 1 | ARRI AMIRA MHB-2 microphone holder | | | |
| | K2.75000.0 | 1 | ARRI AMIRA WPA-1 Wedge Plate Adapter camera base mount with shoulder pad | | | |
| | K2.0000399 | 1 | ARRI QRP-1 Quick Release Plate | | | |
| | K2.45886.0 | 1 | Camera handle grip right | | | |
| | | 1 | ARRI AMIRA top handle | | | |
| | | | | | 4 495 | 17 980 |
| ANTON BAUER BATTERY KIT <i>for ARRI AMIRA</i> | | 9 | Logic Series Battery HC DIONIC, 14.4 volts, 89WH | 000018668 B02S | | |
| | | | | 000018664 B02S | | |
| | | | | 000018670 B02S | | |
| | | | | 000018677 B02S | | |
| | | | | 000016330 A10S | | |
| | | | | 000018674 B02S | | |
| | | | | 000018669 B02S | | |
| | | | | 000018643 B02S | | |
| | | | | 000016468 A10S | | |
| | ANB-QUAD 2702 | 1 | 4 pos Power Charger w/ LCD + 2 amp discharger | | | |
| | | 2 | 220V Cable | | | |
| | | 1 | Anton Bauer dual simultaneous charger | | | |
| | ANB-QR-HOT SWAP | 1 | Dual Gold Mount hot swap for ARRI AMIRA (continous power) | | | |
| | | 1 | Pelicans | | | |
| | | | | | 1 190 | 4 760 |
| CFast MEMORY CARD <i>for ARRI AMIRA</i> | | 1 | CFast 2.0 high grade memory card 120GB w/USB3 reader (5 x cards available) | | | |
| | | | | | 490 | 1 960 |
| ODYSSEY 7Q <i>7" monitor/recorder Uncompressed- video/ProRes/DNxHD</i> | | 1 | Odyssey 7Q, 7" monitor/recorder - Uncompressed-video/ProRes/DNxHD | 20-02117 | | |
| | | 1 | Power cable for ARRI AMIRA | | | |
| | | 1 | 220V power cable | | | |
| | | 1 | 3G-SDI cable 1m | | | |
| | | 1 | 3G-SDI cable 2m | | | |
| | | 2 | Noga arm (swivel head and 1/4 inch screws) | | | |
| | | 1 | Protective cage | | | |
| | | | | | 1 250 | 5 000 |
| ODYSSEY 7Q SSD <i>SSD Storage</i> | | 1 | 512MB SSD Storage for Odyssey 7Q (only accepts SSDs from Convergent Design) (10 x SSDs available) | | | |
| | | | | | 390 | 1 560 |
| ARRI MFF-2 FOLLOW FOCUS <i>changeable focus direction</i> | K2.65255 | 1 | Mini Follow Focus MFF-2 Cine Base | 4168 | | |
| | K2.65259 | 1 | 43 Tooth, 0.8 metric module gear | | | |
| | K2.43268 | 1 | Standard focus knob (left side) | | | |
| | | | | | 450 | 1 800 |
| ARRI LMB25 MATTEBOX <i>clamp on with 2/3 filter stages</i> | K2.66177 | 1 | LMB-25 Basic Module | | | |
| | K2.66176 | 1 | LMB-25 2-filter stage guide | | | |
| | K2.66175 | 1 | LMB-25 3-filter stage guide | | | |
| | K2.66133 | 3 | F4 Filter Frame Combo 4"x5,65"/4"x4" | | | |
| | K2.47244 | 1 | LMB-25 Top/Bottom Flag | | | |
| | K2.47240 | 1 | LMB-25 Clamp Adapter Ø 114mm | | | |
| | | | | | 475 | 1 900 |
| FILTERS | | 1 | Schneider IRND 0.3 | | 100 | 100 |
| | | 1 | Schneider IRND 0.6 | | 100 | 100 |
| | | 1 | Schneider IRND 0.9 | | 100 | 100 |
| | | 1 | Schneider IRND IR 1.2 | | 100 | 100 |
| | | 1 | Schneider IRND IR 1.5 | | 100 | 100 |
| | | 1 | Schneider IRND IR 1.8 | | 100 | 100 |
| | | 1 | ND SE 0.3 | | 80 | 80 |
| | | 1 | ND SE 0.6 | | 80 | 80 |
| | | 1 | ND HE 0.9 | | 80 | 80 |
| | | 1 | Polarizer | | 100 | 100 |
| | | | | | | |
| CARL ZEISS LWZ.2 CINE LENS <i>Lightweight zoom 15-45mm T2.8</i> | | 1 | Zeiss - Lightweight Zoom LWZ.2 - 15.5-45mm (T2.8) | 8942272 | | |
| | | 1 | Support bracket | | | |
| | | 1 | Zoom stick | | | |
| | | 1 | Pelicans | | | |
| | | | | | 2 650 | 10 600 |
| ANGENIEUX DP ROUGE CINE LENS <i>30-80mm T2.8</i> | | 1 | Angenieux DP Rouge 30-80mm (T2.8) | | | |
| | | 1 | Zoom stick | | | |
| | | 1 | Pelicans | | | |
| | | | | | 2 650 | 10 600 |

| Hinterland ident | Producer ident # | Amount | Description | Serial | Price per day | Price per week |
|--|------------------|--------|--|--------|---------------|----------------|
| FUJINON CABRIO CINE/ENG LENS 19-90mm T2.9 <i>Detachable ENG-style handgrip with zoom servo motor.</i> | | 1 | Fujinon Cabrio ZK4.7x19-SAM 19-90mm (T2.9) | | | |
| | | 1 | ENG-style hand grip with zoom servo | | | |
| | | 1 | Support bracket | | | |
| | | 1 | Zoom Stick | | | |
| | | 1 | Pelicas | | | |
| | | | | | 3 900 | 15 600 |
| OCONNOR 25L TRIPOD <i>2-stage carbon fiber</i> | | 1 | OConnor 25L (2-stage) Carbon fiber tripod | | | |
| | | 1 | OConnor Ultimate 1030 HD fluid head | | | |
| | | 1 | Base plate | | | |
| | | 1 | Transport case | | | |
| | | | | | 850 | 3 400 |
| SACHTLER STUDIO 2 TRIPOD <i>2-stage aluminium</i> | | 1 | Sachtler Studio 2 fluid head | | | |
| | | 1 | Sachtler 2-stage aluminium tripod | | | |
| | | 2 | Transport case | | | |
| | | | | | 650 | 2 600 |
| EASYRIG | | 1 | Easyrig 2,5 ENG-style (one shoulder free from straps in order to mount camera) | | 425 | 1 700 |
| | | 1 | Easyrig 3 Cine-style | | 425 | 1 700 |
| | | | | | | |
| ON CAMERA SOUND KIT <i>for ARRI AMIRA</i> | | 1 | Sennheiser MKH-416 P48 microphone with Rycote windshield | | | |
| | | 1 | Rycote shock mount for ARRI AMIRA | | | |
| | | 1 | XLR cable 60cm | | | |
| | | | | | 290 | 1 160 |

| Hinterland ident | Producer ident # | Amount | Description | Serial | Price per day | Price per week |
|--|------------------|--------|--|----------------|---------------|----------------|
| SONY F3 <i>Camera and accessories</i> | | 1 | Sony PMW-F3 S-log and RGB output through SDI | 200482 | | |
| | | 1 | Sony BP-U60 battery | 20101109 | | |
| | | 1 | Sony BP-U60 battery | 20110301 | | |
| | | 1 | Sony BP-U60 battery | 20101008 | | |
| | | 1 | Sony charger BC-U1 | 10053000983 | | |
| | | 1 | 64 GB SxS-1 card | 9DJT1178 | | |
| | | 1 | 64 GB SxS-1 card | 9DJT1182 | | |
| | | 1 | Nexto DI 750GB SXS video storage device and card reader | | | |
| | | 1 | Sony ECM-XM1 microphone | | | |
| | | 1 | Top cheeseplate | | | |
| | | | | | 2 550 | 10 200 |
| ANTON BAUER BATTERY KIT <i>for Sony F3</i> | | 5 | Logic Series Battery HC DIONIC, 14.4 volts, 89WH | 000018668 B025 | | |
| | | | | 000018664 B025 | | |
| | | | | 000018670 B025 | | |
| | | | | 000018677 B025 | | |
| | | | | 000016330 A105 | | |
| | ANB-QUAD 2702 | 1 | 4 pos Power Charger w/ LCD + 2 amp discharger | | | |
| | | 2 | 220V Cable | | | |
| | QRC-DUAL-PT | 1 | Anton Bauer QRC-Dual PT Gold Mount for Sony PMW-F3 | | | |
| | | 1 | Anton Bauer dual simultaneous charger | | | |
| | | 1 | Pelicasa for battery kit | | | |
| | | | | | 790 | 3 160 |
| ALPHATRON EVF | EVF-035W-3G | 1 | Alphatron EVF-035W-3G w/ SDI cable and mount system from Solid Camera | EV035M0928 | | |
| | | | | | 450 | 1 800 |
| SHAPE SHOULDER RIG | BP7000 | 1 | Shape handheld rig w/ 4x rods, 2x handle bars, quick release baseplate | | | |
| | | 4 | Carbon fiber rods | | | |
| | | 2 | Adjustable handle bar with ARRI rosette mount | | | |
| | | 1 | Quick release baseplate with removable shoulder support | | | |
| | | | | | 390 | 1 560 |
| SAMURAI BLADE <i>5" monitor/recorder ProRes/DNxHD</i> | | 1 | Samurai Blade 5" monitor/recorder - 10bit 4:2:2 ProRes or DNXHD | 2886 | | |
| | | 1 | 500GB HDD | | | |
| | | 1 | HDD reader USB3 interface | | | |
| | | 2 | Sony NP-F570 battery | | | |
| | | 1 | Battery charger | | | |
| | | 1 | D-tap for Anton Bauer power | | | |
| | | 1 | Power cable | | | |
| | | 2 | Noga arm (swivel head and 1/4 inch screws) | | | |
| | | 1 | Sun shade for monitor | | | |
| | | 1 | SDI cable 1m | | | |
| | | 1 | SDI cable 2m | | | |
| | | | | | 400 | 1 600 |
| ARRI MFF-2 FOLLOW FOCUS <i>changeable focus direction</i> | K2.65255 | 1 | Mini Follow Focus MFF-2 Cine Base | 4168 | | |
| | K2.65259 | 1 | 43 Tooth, 0.8 metric module gear | | | |
| | K2.43268 | 1 | Standard focus knob (left side) | | | |
| | | | | | 450 | 1 800 |
| ARRI LMB25 MATTEBOX <i>clamp on with 2/3 filter stages</i> | K2.66177 | 1 | LMB-25 Basic Module | | | |
| | K2.66176 | 1 | LMB-25 2-filter stage guide | | | |
| | K2.66175 | 1 | LMB-25 3-filter stage guide | | | |
| | K2.66133 | 3 | F4 Filter Frame Combo 4"x5,65"/4"x4" | | | |
| | K2.47244 | 1 | LMB-25 Top/Bottom Flag | | | |
| | K2.47240 | 1 | LMB-25 Clamp Adapter Ø 114mm | | | |
| | | | | | 475 | 1 900 |
| FILTERS | | 1 | Schneider IRND 0.3 | | 100 | 100 |
| | | 1 | Schneider IRND 0.6 | | 100 | 100 |
| | | 1 | Schneider IRND 0.9 | | 100 | 100 |
| | | 1 | Schneider IRND IR 1.2 | | 100 | 100 |
| | | 1 | Schneider IRND IR 1.5 | | 100 | 100 |
| | | 1 | Schneider IRND IR 1.8 | | 100 | 100 |
| | | 1 | ND SE 0.3 | | 80 | 80 |
| | | 1 | ND SE 0.6 | | 80 | 80 |
| | | 1 | ND HE 0.9 | | 80 | 80 |
| | | 1 | Polarizer | | 100 | 100 |
| | | | | | | |
| CARL ZEISS COMPACT PRIME LENS CP.2 <i>25mm T2.9</i> | | 1 | Zeiss - Compact prime lens CP.2 - 25mm (T2.9) | 50006445 | | |
| | | 1 | Pelicasa | | | |
| | | | | | 425 | 1 700 |
| RED PRO ZOOM LENS <i>17-50mm T2.9</i> | | 1 | RED PRO ZOOM lens 17-50mm (T2.9) | ZM1750002 | | |
| | | 1 | Pelicasa | | | |
| | | | | | 950 | 3 800 |

| Hinterland ident | Producer ident # | Amount | Description | Serial | Price per day | Price per week |
|---|------------------|--------|--|---------|---------------|----------------|
| CARL ZEISS LWZ.2 CINE LENS <i>Lightweight zoom 15-45mm T2.8</i> | | 1 | Zeiss - Lightweight Zoom LWZ.2 - 15.5-45mm (T2.8) | 8942272 | | |
| | | 1 | Support bracket | | | |
| | | 1 | Zoom stick | | | |
| | | 1 | Pelicas | | | |
| | | | | | 2 650 | 10 600 |
| ANGENIEUX DP ROUGE CINE LENS <i>30-80mm T2.8</i> | | 1 | Angenieux DP Rouge 30-80mm (T2.8) | | | |
| | | 1 | Zoom stick | | | |
| | | 1 | Pelicas | | | |
| | | | | | 2 650 | 10 600 |
| FUJINON CABRIO CINE/ENG LENS <i>19-90mm T2.9 Detachable ENG-style handgrip with zoom servo motor.</i> | | 1 | Fujinon Cabrio ZK4.7x19-SAM 19-90mm (T2.9) | | | |
| | | 1 | ENG-style hand grip with zoom servo | | | |
| | | 1 | Support bracket | | | |
| | | 1 | Zoom Stick | | | |
| | | 1 | Pelicas | | | |
| | | | | | 3 900 | 15 600 |
| O'CONNOR 25L TRIPOD <i>2-stage carbon fiber</i> | | 1 | O'Connor 25L (2-stage) Carbon fiber tripod | | | |
| | | 1 | O'Connor Ultimate 1030 HD fluid head | | | |
| | | 1 | Base plate | | | |
| | | 1 | Transport case | | | |
| | | | | | 850 | 3 400 |
| SACHTLER STUDIO 2 TRIPOD <i>2-stage aluminium</i> | | 1 | Sachtler Studio 2 fluid head | | | |
| | | 1 | Sachtler 2-stage aluminium tripod | | | |
| | | 2 | Transport case | | | |
| | | | | | 650 | 2 600 |
| EASYRIG | | 1 | Easyrig 2,5 ENG-style (one shoulder free from straps in order to mount camera) | | 425 | 1 700 |
| | | 1 | Easyrig 3 Cine-style | | 425 | 1 700 |
| | | | | | | |
| ON CAMERA SOUND KIT <i>for Sony F3</i> | | 1 | Sennheiser MKH-416 P48 microphone with Rycote windshield | | | |
| | | 1 | Rycote shock mount for Sony F3 | | | |
| | | 1 | XLR cable 60cm | | | |
| | | | | | 290 | 1 160 |



| Hinterland ident | Producer ident # | Amount | Description | Serial | Price per day | Price per week |
|--------------------------------------|------------------|--------|--|--------------|---------------|----------------|
| MICROPHONES | | 1 | Sennheiser MKH-416 P48 microphone | | 250 | 1 000 |
| | | 1 | Sennheiser MKH-416 P48 microphone | | 250 | 1 000 |
| | | 1 | Røde NTG-3-B microphone | | 200 | 800 |
| | | 1 | Sennheiser SK 3063 / 3041 wireless lavalier microphone | | 260 | 1 040 |
| | | 1 | Sennheiser SK 3063 / 3041 wireless lavalier microphone | | 260 | 1 040 |
| | | 1 | Sennheiser EW 100 ENG G3 wireless lavalier microphone | | 75 | 300 |
| | | 1 | Sennheiser EW 100 ENG G3 wireless lavalier microphone | | 75 | 300 |
| | | 1 | AKG C414B microphone (multi-directive) | 40893 | 240 | 960 |
| MICROPHONE ACCESSORIES | | 1 | Boom pole standard w/5m XLR cable | | 75 | 300 |
| | K102CCR | 1 | K-Tek K102CCR 5-Section Classic Series Lightweight Boompole with XLR cable | | 125 | 500 |
| | | 1 | Rycote zeppeliner with wind shield fur | | 75 | 300 |
| | | 1 | Rycote rain shield protector for zeppeliner | | 50 | 200 |
| RECORDERS AND MIXERS | 702T | 1 | Sound Devices 702T - 2 track recorder with timecode | GR0206348004 | 750 | 3 000 |
| | 788T | 1 | Sound Devices 788T - 8 track recorder with timecode - with CL-8 mixer | JC0712122001 | 1 300 | 5 200 |
| | ZOOM-H6 | 1 | Zoom H6 - 6 track recorder with built in stereo microphone | | 90 | 360 |
| | MIXPRE-D | 1 | Sound Devices Mix-Pre D (perfect for sound to ARRI ALEXA) | JP0512111004 | 250 | 1 000 |
| | HX-3 | 1 | Sound Devices HX-3 headphone amplifier | | 90 | 360 |
| ACCESSORIES FOR RECORDERS AND MIXERS | | 1 | Anton Bauer battery solution for Sound Devices recorders, with battery | | 120 | 480 |
| | AH-3H-MEM | 1 | Porta Brace audio harness kit AH-3H-MEM with carrying case for mixer | | 120 | 480 |
| | | 1 | Sennheiser HD280 PRO headphones | | 70 | 280 |

| Hinterland ident | Producer ident # | Amount | Description | Serial | Price per day | Price per week |
|------------------------------|------------------|--------|--|---------------------|---------------|----------------|
| FELLONI LED LIGHT KIT | TP-LONI-BI50HO | 2 | Bi-colour LED Panel - size 30.4cm x 30.4cm - Color range 3200K-5600K | FE43108122200026180 | | |
| | | | | FE43108122200026175 | | |
| | | 2 | Diffuser filter | | | |
| | | 2 | Tripod | | | |
| | | 1 | AC-adaptor | | | |
| | | 2 | Anton Bauer battery adaptors | | | |
| | | 1 | Pellicase | | | |
| | | | | | 990 | 3 960 |
| ON CAMERA LED LIGHTS | | | Ikan Micro LED light (mount on camera) | | 90 | 360 |
| | | | Micro Litepanel (for mount on Alexa) w/12V cable | | 90 | 360 |
| | | | | | | |
| LOWELL RIFA EX 88 KIT | | 1 | Lowel Rifa EX 88 w/diffuser filter - size 81cm x 81cm | | | |
| | | 1 | 1000W light bulb | | | |
| | | 1 | 500W light bulb | | | |
| | | 1 | Tripod | | | |
| | | 1 | Transport case | | | |
| | | | | | 290 | 1 160 |
| 800W LIGHTS | | 1 | ARRI LITE 800W w/tripod | | 125 | 500 |
| | | 1 | Photonbeam 800W w/tripod | | 125 | 500 |
| | | | | | | |